



TFL/S&E/Envst/25-26/01

04.06.2025

The Member Secretary,  
Tamil Nadu Pollution Control Board,  
76, Mount Salai, Guindy,  
Chennai – 600 032.

Dear Sir,

Sub: Environmental Statement for the year 2024-2025 – TFL

We are pleased to submit the Environmental Statement in Form-V pertaining to Tuticorin Alkali Chemicals And Fertilizers Limited at Tuticorin for the year ending 2025.

Thanking you,

Yours faithfully,  
For TUTICORIN ALKALI CHEMICALS  
AND FERTILIZERS LIMITED,

E Rajeshkumar  
Whole Time Director



Encl.: As above

- cc:
1. The Joint Chief Environmental Engineer  
Tamil Nadu Pollution Control Board,  
Tirunelveli
  2. District Environmental Engineer  
Tamil Nadu Pollution Control Board,  
Thoothukudi – 628 008.

## **Tuticorin Alkali Chemicals and Fertilizers Limited**

Factory: Harbour Construction Road, Tuticorin - 628 005 | Tel: 0461-2355612 | Fax: 0461-2355376 | E-mail: [admins@tacfert.com](mailto:admins@tacfert.com)  
Regd.: 88, Mount Road, Guindy, Chennai - 600 032 | Website: [www.tacfert.in](http://www.tacfert.in) | CIN: L24119TN1971PLC006083 | GSTIN: 33AAACT2770KIZC

**ENCIRONMENT (PROTECTION ) ACT 1986**

**ENVIRONMENT (PRODUCTION) SECOND AMENDMENT RULES, 1992**

**FORM – V**

**(See Rule 14)**

**ENVIRONMENTAL STATEMENT FOR THE FINANCIAL YEAR ENDING 31<sup>st</sup> MARCH 2025**

**PART - A**

i. Name and address of the owner/ Occupier of the industry, operation of process	Mr.E Rajeshkumar Whole Time Director Tuticorin Alkali Chemicals and Fertilizers Limited Harbour construction road Tuticorin – 628 005.
ii) Industry Category Primary (STC Code): Secondary (SIC Code): Production Capacity (Tonne)	- 2800 - 2852 Soda ash - 15,000 TPM Ammonium chloride - 13,500 TPM Desalination permeate Water - 2970 KLD
iii) Year of Establishment	Commercial production of Soda ash and Ammonium Chloride started in November 1982 and Expansion in 1999 & 2019
iv) Date of the last environmental Statement submitted	16.05.2024

**PART – B**

**i. Water and Raw Material Consumption:**

1. Water consumption in m<sup>3</sup> / day : 38.4  
Process
2. Cooling / Boiler Feed/ Industrial : 2233
3. Domestic & Gardening : 143.37

Sl. No.	Name of Products	Process water consumption per unit of product output	
		During the previous Financial Year (2023-24)	During the current Financial Year (2024 - 25)
01	Soda Ash }	0.167 m <sup>3</sup>	0.174 m <sup>3</sup>
02	Ammonium chloride }		

**ii. Raw Material Consumption:**

S. No.	Name of Raw Material	Name of Products	Consumption of raw material per unit of output		Total Consumption per annum in MT
			During the Previous Financial Year (2023-24)	During the Current Financial Year (2024-25)	
1.	Raw salt	Soda Ash Te	1.69	1.56	97,232.000
2.	Carbon dioxide	Soda Ash "	0.673	0.564	35,146.590
3.	Biomass	Soda Ash "	0.215	1	62,201.75
4.	Coal	Soda Ash "	0.701	0.124	7,730.70
5.	Lime	Soda Ash "	0.042	0.018	1,140.580
6.	Ammonia	Amm. Chloride "	0.330	0.325	17,782.236
7.	Fuel oil	Amm. Chloride "	0.011	0.003	217.428
8.	Power	Soda Ash KWH	785	710	4,42,18,500

**PART - C**

**I. WATER POLLUTION GENERATED**

(Parameter as specified in the consent Issued)

S. No.	Pollutants	Quantity of pollutants generated kg/day	Concentration of pollutants in discharge, mg/l	Prescribed standard by TNPC Board	Percentage of variation
1	pH	--	7.56	5.5 – 9.0	All parameter within the prescribed standards
2	Total Susp. Solids	2.5	63	100	
3	Sulphate (as SO4)	3.7	73	1000	
4	Oil & Grease	0.1	1.6	20	
5	BOD, 3 days at 27 °C,	1.2	38	30	
6	COD	5.9	116	250	
7	Ammoniacal nitrogen	1.7	34	50	
8	Total Kjeldahl nitrogen	2.4	45	100	
9	Dissolved phosphate	0.05	0.75	-	

## II. AIR

S.No.	Pollutants	Quantity of pollutants discharged, kg/day	Concentration of pollutants in discharge, mg/Nm <sup>3</sup>	Prescribed standard by TNPC Board Mg/Nm <sup>3</sup>	Percentage of variation From prescribed standard, %
1.	Ammonium chloride dryer stack				
	a. PM	13.3	21.2	150	No deviation from the prescribed standard
	b. SO <sub>2</sub>	10.07	16.0	--	
	c. NH <sub>3</sub>	78.0	124	300	
2.	CO <sub>2</sub> wash water Column stack				
	a. PM	108.0	132	150	
	b. SO <sub>2</sub>	21.9	26.6	----	

### PART - D

#### HAZARDOUS WASTES

(As specified under Hazardous wastes / Management and Handling Rules 1989) as amended in 2003

Hazardous Wastes	Total Quantity (kg)	
	During the previous Financial Year 2023-24	During the current Financial Year 2024-25
A) From Process Compressor House Lubricating Oil and used oil from oil replenishment to all machineries HW category 5.1 used or spent oil	1020	1280
B) Chemical sludge from waste water treatment (35.3)	200	345
C) Any process Distillation residue(36.1)	300	287

### PART - E

#### BY PRODUCT

BY PRODUCT	Total Quantity (kg)	
	During the previous Financial Year (2023-24)	During the current Financial Year (2024-25)
NIL	NIL	NIL

## SOLID WASTES

S.No.	Name of products	Source	Total Quantity	
			During the 2023-24	During 2024-25
<b>Generated</b>				
1.	a. Calcium carbonate	Distiller Waste,	2475	2100
	d Boiler Ash Te	Boiler and Plant areas	4580	1745
<b>Reuse</b>				
2.	<u>Calcium Carbonate Sludge</u> a. Quantity recycled or reutilized within the plant		Nil	Nil
<b>Sold</b>				
	<u>Calcium Carbonate Sludge</u>		2427	2025
3.	Coal ash		4377	1710

## PART - F

Please specify the characterization (in terms of concentration and quantum) and hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of waste.

Solid Waste	Composition	Uses
Calcium Carbonate Sludge	CaCO <sub>3</sub> ~63.5% MgCO <sub>3</sub> ~ 2.0 % R <sub>2</sub> O <sub>3</sub> ~ 0.8 % CaCl <sub>2</sub> ~ 1.5 % NaCl ~ 2.5 % H <sub>2</sub> O ~30.0 %	Disposed of for beneficial uses like conversion into CaO and in CEM industries.
Coal Ash & Biomass ash	Combustible ~ 10 % Ash ~ 65 % H <sub>2</sub> O ~ 25 %	Disposed for beneficial uses for conversion into bricks and landfilling in low laying areas

### Hazardous waste

S.No.	Hazardous waste	Composition	Uses
01	Used Oil	Oil ≥ 95% Water ≤5%	Sold to recyclers, authorized by TNPCB & CPCB.
02	Chemical sludge from waste water treatment (35.3)	Sodium sulphate >60 %	Sent for Land filling to Authorized recyclers
03	Any process Distillation residue(36.1)	Carbon Matter >90%	Sent to authorized recycler for incineration

## PART - G

### Impact of the pollution on conservation of natural resources and on the cost of production

Tuticorin Alkali Chemicals and Fertilizers Limited firmly believe that industrial productivity and environmental protection is to co exists. With the strong environmental concern and commitment TFL has taken great strides in the prevention of pollution and protection of the precise environment. The various pollution control monitoring measure have been helpful to bring about an overall improvement of the quality of Water, Air and Land in the nearby environment. We have implemented several measures for waste minimization/ pollution prevention.

1. Constructed closed storage shed for biomass with the investment of 50 lakhs
2. Receiving Tuticorin corporation Biomass for boiler fuel and received an award from Tuticorin Minister.
3. Consumption of fossil fuel (Coal) is reduced by increase of biomass usage in boiler.
4. Converted coal fired boiler to Bio mass based boiler to reduce fossil fuel usage and reduction in sulphur emission.
5. New online analyzer and flow meter installed in Sewage Treatment plant for BOD,COD&SS
6. Online monitoring of Ammonia and Particulate matter is done for Ammonium chloride drier Stack with the investment of 25 lakhs and data transmitted to Care Air Centre TNPCB
7. Effluent Quality and flow monitoring system was installed with the investment of 15 lakhs and connected with Water Quality Watch , TNPCB
8. Ambient Air ammonia monitoring system was installed with the investment of 15 lakhs and connected with Care Air Centre, TNPCB
9. Effluent generated is completely recycled and reused in process from the year 2005. No treated effluent discharged in to Sea
10. As a greenhouse gases emission control measure desulphurization system installed to scrub sulphur di oxide and boiler flue gas and thus reducing the sulphur di oxide emission by 99 %
11. Bag filter was installed to control the emission of particulate matter in Boiler flue Gas
12. CO2 recovery plant was successfully installed and CO2 recovered from coal fired boiler flue gas with an investment of 20 crores and utilized as a raw material for the production of Sodium carbonate and also reducing the emission of CO2 to atmosphere
13. As a energy conservation measure 2 numbers of New screw compressor was installed instead of reciprocating one and reducing the energy consumption by 2,68,000 kw per annum.
14. Variable Frequency drive has been installed for our process pumps as an energy conservation measure.
15. Finished goods bags (PP bags) has been reuse for multiple times (upto 7 times).
16. New salt centrifuge was installed with higher capacity and thus avoid running two centrifuges at a time and reducing the energy consumption.
17. New ammonium chloride Product centrifuge was installed with higher capacity and thus avoid running two centrifuges at a time and reducing the energy consumption

## PART - H

Additional measures / investment proposal for environmental protection including abatement and prevention of pollution

Converted coal fired boiler to Bio mass based boiler to reduce fossil fuel usage and reduction in sulphur emission.

Bag filter and desulphurization provided for boiler flue gas to reduce PM and sulphur di oxide emission to atmosphere.

We have recovered CO2 from boiler flue gas by installing CO2 recovery plant and used a raw material for the production of sodium carbonate

	<p>and reducing the emission of CO2 to atmosphere</p> <p>We are developing Green belt inside our factory on a continuous basis.</p> <p>Also at our township, we are developing Green belt on a continuous basis.</p>
--	--

**PART - I**

**MISCELLANEOUS**

<p>Any other particulars for improving the quality of environment</p>	<p>We are conducting Environment Awareness programs regularly for our employees.</p> <p>We have plans to conduct Environment Awareness Programs in the nearby villages and factories township.</p> <p>We are utilizing the CO2 vented out from boiler in our manufacturing process we are reducing the pollution load to the atmosphere and also the green house gas emission reduction. Bag filter and Desulphurization system provided to eliminate PM and SO2 emission to atmosphere.</p> <p>The Environment Management System, ISO 14001:2015, is implemented in last year,</p> <p>Low Carbon Footprint certification for our products was obtained.</p>
---	--

Signature 

Name and address of the person  
Submitting the environmental  
Statement

E Rajeshkumar  
Whole Time Director

On behalf of name and address  
Of the unit

Tuticorin Alkali Chemicals and  
Fertilizers Limited,  
Habour construction road,  
Tuticorin 62800